

SAFETY DATA SHEET

acc. to Regulation (EC) No. 1907/2006 and (EU) No. 2020/878 for

ALPHAMETHYLSTYRENE (AMS)

prepared

2009-06-15

DOMO Caproleuna GmbH
Bau 3101 – Am Haupttor
D-06237 Leuna

updated

2022-12-16

Rev. 7

Page 1 of 17

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Chemical name: **Alphamethylstyrene**
Trade name: Alphamethylstyrene (AMS)
EINECS-Number: 202-705-0
REACH-Registration No.: 01-2119472426-35-0002
Form: no nanoform
UFI Code: not applicable; product is a substance

1.2 Relevant identified uses of the substance or mixture and uses advised against

Raw material for the production of plastics and synthetic resins

Identified uses

- Manufacture, processing and distribution of substances and mixtures *
- Use in laboratories
- Rubber production and processing
- Polymer manufacturing
- Polymer processing

*Examples for processing:

- use as intermediate
- use as monomer etc.
- use as solvent
- use for the manufacturing of resins

1.3 Details of the supplier of the safety data sheet

Company name: DOMO Caproleuna GmbH
Bau 3101 – Am Haupttor
D-06237 Leuna
Tel. + 49 34 61 43-22 42
Fax + 49 34 61 43-22 20
E-mail sds@domo.org

1.4 Emergency telephone number

Europe	+44 1235 239670	[Carechem 24]
Middle East/Africa	+44 1235 239671	[Carechem 24]
North/South America	+1 215 207 0061	[Carechem 24]
East/South East Asia	+65 3158 1195	[Carechem 24]

SAFETY DATA SHEET

acc. to Regulation (EC) No. 1907/2006 and (EU) No. 2020/878 for

ALPHAMETHYLSTYRENE (AMS)

DOMO Caproleuna GmbH
Bau 3101 – Am Haupttor
D-06237 Leuna

prepared

2009-06-15

updated

2022-12-16

Rev. 7

Page 2 of 17

*country specific emergency telephone numbers in section 16

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture (CLP)

Hazard classes/categories	Hazard statement
Flammable liquids, category 3	H226
Danger of aspiration, category 1	H304
Skin sensitization, category 1	H317
Causes serious eye irritation, category 2	H319
Specific target organ toxicity (single exposure), category 3	H335
Reproduction toxicity, category 2	H361
Aquatic chronic, category 2	H411

Specific concentration limit (SCL): STOT SE H335 C \geq 25%

2.2 Label elements

Labeling (CLP)

Pictogram:

Signal word: **Danger**

Hazard Statements

H226	Flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H361	Suspected of damaging fertility or the unborn child.
H411	Toxic to aquatic life with long lasting effects.

Safety precautions

P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P210	Keep away from heat/sparks/open flames/hot surfaces. No smoking.

SAFETY DATA SHEET

acc. to Regulation (EC) No. 1907/2006 and (EU) No. 2020/878 for

ALPHAMETHYLSTYRENE (AMS)DOMO Caproleuna GmbH
Bau 3101 – Am Haupttor
D-06237 Leuna

prepared

2009-06-15

updated

2022-12-16

Rev. 7

Page 3 of 17

P233	Keep container tightly closed.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical/ventilating/lighting etc. equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P264	Wash moistened skin thoroughly after handling.
P271	Use only outdoors or in a well-ventilated area.
P272	Contaminated work clothing should not be allowed outside the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/ physician.
P302+P352	IF ON SKIN: Wash with plenty of soap and water.
P303+P361+P353	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
P304+P340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308+P313	IF exposed or concerned: Get medical advice/attention.
P312	Call a POISON CENTER or doctor/physician if you feel unwell.
P331	Do NOT induce vomiting.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P337+P313	If eye irritation persists: Get medical advice/attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
P370+P378	In case of fire: Use alcohol-resistant foam, spray water, CO2 or powder for extinction.
P391	Collect spillage.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P403+P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/container in accordance with item 13.

2.3 Other hazards

Igniting mixtures may form under heating with air. PVapours are heavier than air and will spread at floor level.

Polymerisation in the presence of acids. At temperatures above 50 °C also polymerization reactions may occur despite the addition of inhibitors. Heat development leads to selfignition.

PBT/vPvB Assessment

The product does not fulfil the PBT (persistent, bioaccumulative, toxic) or vPvB (very persistent, very bioaccumulative) criteria.

Endocrine disruptor information

This product does not contain any known or suspected endocrine disruptors.

SAFETY DATA SHEET

acc. to Regulation (EC) No. 1907/2006 and (EU) No. 2020/878 for

ALPHAMETHYLSTYRENE (AMS)

prepared

2009-06-15

DOMO Caproleuna GmbH
Bau 3101 – Am Haupttor
D-06237 Leuna

updated

2022-12-16

Rev. 7

Page 4 of 17

SECTION 3: Composition/information on ingredients**3.1 Substances**Chemical characterization (substance)

2-Phenylpropen; 2-Phenyl-1-propen; Isopropenyl benzene; beta-Phenyl propylene

Formula: $C_9H_{10} = C_6H_5C(CH_3)=CH_2$

Molecular weight: 118,1 g/mol

CAS-Number: 98-83-9

EIN ECS-Number: 202-705-0

RTECS-Number: WL5075300

EU-number: 601-027-00-6

REACH-Registration No.: 01-2119472426-35-0002

SECTION 4: First-aid measures**4.1 Description of first-aid measures**

In all cases of doubt, or when symptoms persist, seek medical advice.

If victim is at risk of losing consciousness, position and transport on their side. Do not allow victim to become chilled. Keep victim warm.

After inhalation

Move victim to fresh air, put at rest and loosen restrictive clothing.

In case of irregular breathing or respiratory arrest provide artificial respiration. Seek medical attention.

In case of skin contact

Remove wetted clothing immediately. Rinse affected skin areas immediately under flowing (like warm) water, or, if available, rinse/wash skin with "Previn solution". Provide medical treatment in any case.

After eye contact

Immediately flush eyes with plenty of flowing water for 10 to 20 minutes holding eyelids apart. In case of troubles or persistent symptoms, consult an ophthalmologist.

After swallowing

In no case cause vomiting; controlled rinsing of stomach by medical expert.

Rinse mouth; spit out liquid; have the injured sipping plenty of water.

Immobilize the injured; protect him/her from hypothermia.

In case of spontaneous vomiting, keep the head of the injured deep in prone position or at least lateral position in order to prevent vomit from penetrating the trachea.

4.2 Most important symptoms and effects, both acute and delayed

Burning eyes and skin. Irritation of nose, throat, lung. Cough, nausea, dizziness, unconsciousness.

In case of prolonged exposure: Possible danger of damage to liver and kidneys.

SAFETY DATA SHEET

acc. to Regulation (EC) No. 1907/2006 and (EU) No. 2020/878 for

ALPHAMETHYLSTYRENE (AMS)DOMO Caproleuna GmbH
Bau 3101 – Am Haupttor
D-06237 Leuna

prepared

2009-06-15

updated

2022-12-16

Rev. 7

Page 5 of 17

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically. On irritation of the respiratory system use an aerosol dispenser and treat with 5 doses of dexamethasone aerosol (e.g. Auxiloson, Thomae) every 10 minutes until symptoms cease. In case of intense exposure check liver and renal function.

Practical experience

Applying Previn (Fa. Prevor) as a first-aid medicine as quickly as possible to the untreated contaminated parts of the skin or eyes will result in a significant alleviation of the symptoms (concerning pain, reddening, formation of blisters). There wasn't any damage to the skin/formation of scars in the further course of healing.

SECTION 5: Firefighting measures**5.1 Extinguishing media**Suitable extinguishing media

Water spray jet (do not use a full jet), extinguishing powder, CO₂, fight large fires by means of alcohol-resistant foam or spray water.

Extinguishing media which must not be used for safety reasons

Foam that is not alcohol-resistant. Do not use water jets (risk of dispersion).
High power water jet.

5.2 Special hazards arising from the substance or mixture

Flammable. Vapours are heavier than air.

In case of fire may be liberated: Carbon monoxide and carbon dioxide.

5.3 Advice for firefightersSpecial protective equipment for firefighters

Prior to entering the dangerous zone, apply a tightly closing chemical suit and respirators which are independent of the ambient air.

Additional information

Cool endangered containers with water spray and, if possible, remove from danger zone.

Heating causes rise in pressure with risk of bursting.

Contaminated fire-fighting water must be collected separately. Do not allow water used to extinguish fire to enter drains, ground or waterways. Treat runoff as hazardous. Fire residuals and contaminated extinguishing water must be disposed of in accordance with the regulations of the local authorities

SAFETY DATA SHEET

acc. to Regulation (EC) No. 1907/2006 and (EU) No. 2020/878 for

ALPHAMETHYLSTYRENE (AMS)

prepared

2009-06-15

DOMO Caproleuna GmbH
Bau 3101 – Am Haupttor
D-06237 Leuna

updated

2022-12-16

Rev. 7

Page 6 of 17

SECTION 6: *Accidental release measures*

6.1 Personal precautions, protective equipment and emergency procedures

Do not inhale vapours, avoid skin and eye contact, provide for sufficient ventilation, keep at the wind side, and keep off ignition sources, clear endangered zone. Carry out repair work at leaks in protective clothing, wear protective gloves and goggles. Seal deep spaces. Clear affected area.

Explosion risks due to leaking product. Remove all sources of ignition. Close all lower level rooms.

6.2 Environmental precautions

Prevent from entering the sewerage system, soil, ground water or surface waters. Danger of explosion. In case of release, notify competent authorities.

6.3 Methods and material for containment and cleaning up

Take up with non-flammable, liquid binding material (e.g. sand/earth/diatomaceous earth/vermiculit) and perform disposal according to instructions.

6.4 Reference to other sections

Not applicable

SECTION 7: *Handling and storage*

7.1 Precautions for safe handling

Advices on safe handling

Provide adequate ventilation, and local exhaust as needed.

Handle substance within a predominantly closed system provided with extract ventilation.

Provide room air exhaust at ground level. Do not use air pressure to deliver.

Avoid the formation of aerosol. Use only explosion-proof equipment.

Pass exhaust gas or waste air into the atmosphere only via suitable cleansing systems

Do not breathe vapours. Avoid contact with skin and eyes. Isolate the danger zone.

Prevent from entering the sewerage system, soil, ground water or surface waters.

Precautions against fire and explosion

Keep away from sources of ignition - No smoking. Do not weld.

Take precautionary measures against static discharges.

Containers and pipes should be thoroughly cleaned and purged with an inert gas prior to handling.

Protect against heat /sun rays. Danger of polymerization > 50 °C.

Heat development leads to selfignition.

SAFETY DATA SHEET

acc. to Regulation (EC) No. 1907/2006 and (EU) No. 2020/878 for

ALPHAMETHYLSTYRENE (AMS)DOMO Caproleuna GmbH
Bau 3101 – Am Haupttor
D-06237 Leuna

prepared

2009-06-15

updated

2022-12-16

Rev. 7

Page 7 of 17

7.2 Conditions for safe storage, including any incompatibilitiesRequirements for storerooms and containers

Requirements of storage rooms and containers: Use stainless steel, steel or aluminium containers. Do not use plastic containers for storage. Provide for proper room ventilation. Use exhaust system, if necessary. Keep containers closed tightly. Provide for measures against electro-static charges. The storage rooms must be cool and ventilated properly. Close containers tightly.

Hints on joint storage

Storage together with medicaments, foodstuffs and fodder is prohibited. Do not store together with fire promoting, self-igniting materials. Keep away from materials which may cause dangerous reactions (oxidizing, spontaneously flammable substances and flammable solid substances, acids). If possible, store well below the flash point.

Further details

Product is not intended for consumer use.

Keep locked and only accessible for trained staff. If possible, store under nitrogen.

Store in tightly sealed containers to avoid the formation of peroxides.

Alphamethylstyrene tends to polymerization which may be catalyzed by heat, pressure, light, peroxides as well as acids. Even if inhibitors are added, there may be polymerization reactions at temperatures above 50 °C.

Storage class: 3 = Flammable liquid materials

7.3 Specific end uses

Raw material for the production of plastics and synthetic resins

SECTION 8: Exposure controls/personal protection

All exposure relevant information (human health and environment) is summarised in annexes to this safety data sheet.

8.1 Control parametersWorkplace exposure limits

Type (Country)	Limit value
IOELV: TWA (EU)	246 mg/m ³ (50 ppm)
IOELV: STEL (EU)	492 mg/m ³ (100 ppm)
WPLV (D)	250 mg/m ³ (50 ppm)
WEL-TWA (GB)	246 mg/m ³ (50 ppm)
WEL-STEL (GB)	491 mg/m ³ (100 ppm)

SAFETY DATA SHEET

acc. to Regulation (EC) No. 1907/2006 and (EU) No. 2020/878 for

ALPHAMETHYLSTYRENE (AMS)

DOMO Caproleuna GmbH
Bau 3101 – Am Haupttor
D-06237 Leuna

prepared

2009-06-15

updated

2022-12-16

Rev. 7

Page 8 of 17

DNEL/PNEC - Parameters

DNEL	Exposure path	Exposure frequency	Critical component
Workers			
38 mg/kg bw/d	Dermal	Long term	AMS
50 ppm (246 mg/m ³)	Inhalative	Long term	

Exposure path	PNEC
Water (fresh water)	0,008 mg/l
Water (marine water)	0,0008 mg/l
Water (intermittent release)	0,01645 mg/l
Sediment (fresh water)	0,583 mg/kg dwt
Sediment (marine water)	0,0583 mg/kg dwt
Soil	0,112 mg/kg dwt
Sewage treatment plant	66,15 mg/l

8.2 Exposure controls

Make sure there is sufficient air exchange and / or that working rooms are air suctioned.

Occupational exposure controls

All information for relevant exposure scenarios including operational conditions and risk management measures are listed in 'Annex I: Worker Exposure and Risk Assessment'

Suitable technical control devices*General protection and hygiene measures*

Do not breathe vapors'. Avoid contact with skin, eyes, and clothing. Immediately remove any contaminated clothing, shoes or stockings. Wash hands before breaks and after work. When using do not eat, drink or smoke. Have eye wash bottle or eye rinse ready at work place.

Respiratory protection

Respiratory protection must be worn whenever the WEL levels have been exceeded.
Use filter type A

Hand protection

Protective gloves according to EN 374.
Glove material: PVA (Polyvinyl alcohol).

SAFETY DATA SHEET

acc. to Regulation (EC) No. 1907/2006 and (EU) No. 2020/878 for

ALPHAMETHYLSTYRENE (AMS)

prepared

2009-06-15

DOMO Caproleuna GmbH
Bau 3101 – Am Haupttor
D-06237 Leuna

updated

2022-12-16

Rev. 7

Page 9 of 17

Breakthrough time: 360 min.

Glove material: Fluororubber (Viton).

Breakthrough time: 480 min.

Observe glove manufacturer's instructions concerning penetrability and breakthrough time.

Eye protection

Tightly sealed safety glasses according to EN 166.

Body protection

Wear suitable protective clothing. Rubber coat and trousers. Safety shoes according to EN 345-347. In case of handling larger quantities: flame-retardant protective clothing, antistatic.

Environmental exposure controls

All information for relevant exposure scenarios including operational conditions and risk management measures are listed in 'Annex II: Environmental Exposure and Risk Assessment' and 'Annex III: Environmental Exposure Calculation Tool'.

Waste air is to be released into the atmosphere only via suitable separators/filter.

SECTION 9: Physical and chemical properties**9.1 Information on basic physical and chemical properties**Appearance and odour

Physical state:	liquid (20 °C)
Colour:	colourless
Odour:	aromatic, unpleasant
Odour threshold:	0.4 mg/ml (0,082 ppm)

Physical and chemical properties

Melting point:	-23.2 °C
Initial boiling point:	165 °C
Flammability:	flammable; derived from flash point
Lower explosion limit:	0.9 Vol%
Upper explosion limit:	6.6 Vol% (IMDG 2009: 6.7)
Flash point:	40 °C (closed cup method)
Self-ignition temperature:	575 °C (1013 hPa)
Thermal decomposition:	no data available
pH:	5-6 (20 °C, 500 g/l)
Kinematic viscosity:	no data available
Dynamic viscosity:	0.94 mPa*s (20°)
Water solubility:	0.1 g/l (25°C)
Partition coefficient n-octanol/water (log Kow):	3.48 (25°C)
Vapour pressure:	2.53 hPa (20 °C) 15 hPa (50 °C)
Density:	0.91 g/cm ³ (20 °C)
Relative vapour density (air):	4.08 (air = 1)
Particle characteristics:	not applicable

SAFETY DATA SHEET

acc. to Regulation (EC) No. 1907/2006 and (EU) No. 2020/878 for

ALPHAMETHYLSTYRENE (AMS)

prepared

2009-06-15

DOMO Caproleuna GmbH
Bau 3101 – Am Haupttor
D-06237 Leuna

updated

2022-12-16

Rev. 7

Page 10 of 17

9.2 Other information

Soluble in organic solvents (ethanol, ether, benzene, chloroform).

9.2.1 Information with regard to physical hazard classes

Explosion risk: not explosive

Oxidizing properties: none

9.2.2 Other safety characteristics

none

SECTION 10: Stability and reactivity**10.1 Reactivity**

No dangerous reactions are known.
Polymerization can occur under certain conditions.

10.2 Chemical stability

Flammable. Vapours are heavier than air. The product is stable when used and stored for the purpose intended in the presence of a stabilizer. Thus the product contains 10-15 ppm tert. Butylbrenzcatechin (TBK).

10.3 Possibility of hazardous reactions

Polymerisation in the presence of acids. Polymerization along with heat production. Heat development leads to selfignition.
Due to the high vapour pressure, bursting danger to containers/vessels when temperature increases.

10.4 Conditions to avoid

Pressure (danger of polymerization).
Do not expose to temperatures exceeding the flash point.

10.5 Incompatible materials

Acids, peroxides, metal salts, organic metal compounds and oxidizing materials

10.6 Hazardous decomposition products

SAFETY DATA SHEET

acc. to Regulation (EC) No. 1907/2006 and (EU) No. 2020/878 for

ALPHAMETHYLSTYRENE (AMS)DOMO Caproleuna GmbH
Bau 3101 – Am Haupttor
D-06237 Leuna

prepared

2009-06-15

updated

2022-12-16

Rev. 7

Page 11 of 17

In case of fire may be liberated: traces of incompletely burned carbon compounds, carbon monoxide and carbon dioxide.

SECTION 11: Toxicological information**11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**Acute toxicity

Toxicity	Effective dose	Species	Method	Remark
oral	LD ₅₀ 4900 mg/kg bw	Rat		
dermal	LD ₅₀ 14560 mg/kg bw	Rabbit		
by inhalation	LD ₅₀ 22,85 mg/l/6h	Rat		

Specific symptoms

Burning eyes and skin. Irritation of nose, throat, lung. Cough, nausea, dizziness, unconsciousness. In case of prolonged exposure: Possible danger of damage to liver and kidneys.

After inhalation:

Irritating to respiratory system. Causes tears.

Concentration > 600 ppm: Leads to severe irritation of the mucous membranes. In case of prolonged exposure: Possible danger of damage to liver and kidneys.

In case of skin contact:

Rabbit: Not an irritant (Draize).

After eye contact:

Rabbit: Not an irritant.

Human experience: Eye and nasal irritation in human volunteers exposed to concentrations higher than STEL and OEL.

Skin corrosion/irritation

May cause an allergic skin reaction.

Serious eye damage/irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

not sensitising.

Based on available data, the classification criteria are not met.

Human experience: May cause allergies in rare instances.

Germ cell mutagenicity

Bacterial mutagenicity: negative (OECD 471 & 472).

Chromosomal aberrations mammalian cells in-vitro: negative (OECD 473).

Gene-mutations mammalian cells in-vitro: negative (OECD 476).

Sister chromatid exchange mammalian cells: negative (OECD 474).

Micronucleus test: in-vivo (Mouse): negative (OECD 474).

Based on available data, the classification criteria are not met.

SAFETY DATA SHEET

acc. to Regulation (EC) No. 1907/2006 and (EU) No. 2020/878 for

ALPHAMETHYLSTYRENE (AMS)

prepared

2009-06-15

DOMO Caproleuna GmbH
Bau 3101 – Am Haupttor
D-06237 Leuna

updated

2022-12-16

Rev. 7

Page 12 of 17

Carcinogenicity

At long term exposure Rat/Mouse: negative (OECD 451).

Based on available data, the classification criteria are not met.

Reproduction toxicity

Repr. 2, H361: Suspected of damaging fertility or the unborn child.

STOT SE

STOT SE 3, H335: May cause respiratory irritation.

STOT RE

Based on available data, the classification criteria are not met.

Danger of aspiration

May be fatal if swallowed and enters airways.

11.2 Information on other hazards

11.2.1 Endocrine disrupting properties

No information available. See section 2.3

11.2.2. Other information

SECTION 12: Ecological information

12.1 Toxicity

Acute ecotoxicity

Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Aquatic toxicity	Species	Effective dose	Exposure time
Fish toxicity	Brachydanio rerio (Zebra-fish)	LC50 2,97 mg/l	96 h
Daphnia toxicity	Daphnia magna	EC50 1,645 mg/l	48 h
		NOEC 0,401 mg/l	21d
Algae toxicity	Desmodesmus subspicatus	EC50 11,441	72 h
		NOEC 2,26 mg/l	72 h

Water Hazard Class: 2 = hazardous to water

SAFETY DATA SHEET

acc. to Regulation (EC) No. 1907/2006 and (EU) No. 2020/878 for

ALPHAMETHYLSTYRENE (AMS)

prepared

2009-06-15

DOMO Caproleuna GmbH
Bau 3101 – Am Haupttor
D-06237 Leuna

updated

2022-12-16

Rev. 7

Page 13 of 17

12.2 Persistence and degradabilityAbiotic degradation*Atmospheric compartment*

Direct photolysis is to be expected.

Indirect photodegradation by reaction with OH radicals.

Half-life time approx. 7,3 h.

Compartment water

Stable at pH value 4, 7 and 9 and 25 °C. Hydrolysis not to be expected.

Biodegradation

56 %/21d (OECD 301 D /EU C.4-E).

Not readily biodegradable (according to OECD criteria).

Available OECD-Tests indicate rapid biodegradability according to CLP criteria.

56 %/28d in activated sludge (OECD 302 C).

Inherently biodegradable.

Evidence for rapid biodegradability.

Effects in sewage plants

Bacterial toxicity: EC 10 activated sludge: 661,5 mg/L/3h

12.3 Bioaccumulative potential

Bioaccumulative potential low.

Secondary poisoning via the food chain is unlikely to occur.

Bioconcentration factor (BCF)

12 - 140 at 25 °C (OECD 305 C).

12.4 Mobility in soil*Environmental distribution/adsorption/desorption soil*

Adsorption coefficient (Koc): 692 at 20 °C.

The soil sorption coefficient indicates a high sorption potential onto soil organic matter.

*Volatility rate*H = 258 - 439 Pa * m³/mol at 25 °C.

The product is highly volatile.

12.5 Results of PBT and vPvB assessment

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

12.6 Endocrine disrupting properties

SAFETY DATA SHEET

acc. to Regulation (EC) No. 1907/2006 and (EU) No. 2020/878 for

ALPHAMETHYLSTYRENE (AMS)

prepared

2009-06-15

DOMO Caproleuna GmbH
Bau 3101 – Am Haupttor
D-06237 Leuna

updated

2022-12-16

Rev. 7

Page 14 of 17

No information available. See Section 2.3

12.7 Other adverse effectsGeneral information

Do not allow to enter into ground-water, surface water or drains.

Avoid spills and leaks. Very small amounts contaminate drinking water.

SECTION 13: Disposal considerations**13.1 Waste treatment methods**Waste key number

Waste key number 070108: Other still bottoms and reaction residues

Recommendation



Incinerate according to applicable local, state and federal regulations.

Discharge into the environment must be avoided. Do not dispose together with domestic refuse.

Contaminated packagingRecommendation

Dispose of waste according to applicable legislation. Handle contaminated packages in the same way as the substance itself. Non-contaminated packages may be recycled.

SECTION 14: Transport information

	ADR/RID	IMDG
14.1 UN Number or ID number	2303	2303
14.2 UN proper shipping name	ISOPROPENYLBENZENE	ISOPROPENYLBENZENE
14.3 Transport hazard classes	3 	3 
14.4 Packaging group	III	III
14.5 Environmental hazards	Marine pollutant	Marine pollutant

SAFETY DATA SHEET

acc. to Regulation (EC) No. 1907/2006 and (EU) No. 2020/878 for

ALPHAMETHYLSTYRENE (AMS)

DOMO Caproleuna GmbH
Bau 3101 – Am Haupttor
D-06237 Leuna

prepared



2009-06-15

updated

2022-12-16

Rev. 7

Page 15 of 17

		
14.6 Special Precautions for the user	See remark	no
Additional information	Hazard identification number: 30 Tunnel restriction code: D/E	EmS: F-E, S-D Lowest flash point: 40 °C c.c.

Remark

For transport in road tankers or rail tank cars: The use of PTFE-seals is recommended.

IATA/ADN: Not checked

14.7 Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**National regulations - GermanyObserve employment restrictions concerning young persons.
Observe employment restrictions for expectant or nursing mothers.StörfallV

Annexe 1, according to substance list column 1

1.2.5.1 P5a Flammable liquids	1.3.2 E2 Aquatic chronic, category 2
Column 4	Column 5
10.000 kg	50.000 kg
200.000 kg	500.000 kg

Storage class

3 (Flammable liquid materials)

Water Hazard Class (acc. to AwSV)

WHC 2 = obviously hazardous to water

TA Air

No. 5.2.5 organic materials

15.2 Chemical safety assessment

SAFETY DATA SHEET

acc. to Regulation (EC) No. 1907/2006 and (EU) No. 2020/878 for

ALPHAMETHYLSTYRENE (AMS)

prepared

2009-06-15

DOMO Caproleuna GmbH
Bau 3101 – Am Haupttor
D-06237 Leuna

updated

2022-12-16

Rev. 7

Page 16 of 17

For this substance a chemical safety assessment has been carried out.

SECTION 16: Other information**Wording of H and P phrases (number and complete text)**

See item 2

Training hints

Training according to TRGS 555.

Recommended restriction(s) for use

Use in cosmetic substances (soap, shampoo) is allowed under restriction only according to the cosmetics regulations.

Additional information

The information in this data sheet has been established to our best knowledge and was up-to-date at time of revision.

It does not represent a guarantee for the properties of the product described in terms of the legal warranty regulations.

Further information (sources)

DGUV113-001, TRGS 727, TRGS 900, TRGS 903.

Data sources

REACH Registration Dossier Alphamethylstyrene. P&D-REACH Consortium, 2016.

Emergency telephone numbers (country specific)

Global/english speaking countries	+44 1865 407333
Country	Emergency telephone number
France	+33 1 72 11 00 03
Germany	+49 89 220 61012 0800 000 7801 (toll-free, access from Germany only)
Spain	+34 91 114 2520
Italy	800 699 792 (toll-free)
Netherlands	+31 10 713 8195
Turkey	0800 621 2139 (toll-free)
Norway	+47 2103 4452
Greece	+30 21 1198 3182
Portugal	+351 30880 4750
Denmark	+45 8988 2286
Sweden	+46 8 566 42573
Poland	+48 22 307 3690

SAFETY DATA SHEET

acc. to Regulation (EC) No. 1907/2006 and (EU) No. 2020/878 for

ALPHAMETHYLSTYRENE (AMS)

prepared 2009-06-15

updated 2022-12-16

DOMO Caproleuna GmbH
Bau 3101 – Am Haupttor
D-06237 Leuna

Rev. 7

Page 17 of 17

Czech Republic	+420 228 882 830
Finland	+358 9 7479 0199
Bahrain/Middle East	+973 1619 8321
Africa/South Africa	+27 21 300 2732
United States	+1 866 928 0789 (toll-free)
Canada	+1 800 579 7421 (toll-free)
United States and Canada	+1 202 464 2554
Mexico	+52 55 5004 8763
Brazil	+55 11 3197 5891
Chile	+56 2 2582 9336
Colombia	+57 1 508 7337
Argentina	+54 11 5984 3690
Sri Lanka	+65 3158 1195
Taiwan	+886 2 8793 3212
Japan	0120 015 230 (toll-free)
Indonesia	007 803 011 0293 (toll-free; access only from Indonesia)
Malaysia	+60 3 6207 4347
Thailand	001 800 120 666 751 (toll-free; access only from Thailand)
India	+65 3158 1198 000 800 100 7479 (toll-free; access only from India)
Pakistan	+65 3158 1329
Bangladesh	+65 3158 1200
Philippines	+63 2 8231 2149
Vietnam	+84 28 4458 2388
South Korea	+82 2 3479 8401
Singapore	+65 3165 2217
Australia	+61 2 8014 4558 18000 74234 (toll-free; access only from Australia)
New Zealand	+64 9 929 1483 0800 446 881 (toll-free; access only from New Zealand)

General revision

Revision according to regulation (EC) 2020/878.